

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/904,566	07/16/2001	Choi Joon-Bo	Q63227 2317	
7590 09/18/2006 SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC 2100 Pennsylvania Avenue, NW Washington, DC 20037-3213			EXAMINER	
			LIN, KENNY S	
			ART UNIT	PAPER NUMBER
			2152	

DATE MAILED: 09/18/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
Office Action Summary		09/904,566	JOON-BO ET AL.		
		Examiner	Art Unit		
		Kenny Lin	2152		
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply				
A SHOWHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATES and the may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. It period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	l. ely filed the mailing date of this communication. 0 (35 U.S.C. § 133).		
Status					
2a)⊠	Responsive to communication(s) filed on 13 July This action is FINAL. 2b) This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro			
Dispositi	on of Claims				
5)□ 6)⊠ 7)□	Claim(s) 1-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdrav Claim(s) is/are allowed. Claim(s) 1-16 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.			
Applicati	on Papers				
10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction to ath or declaration is objected to by the Example 1.	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority u	ınder 35 U.S.C. § 119				
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ⊠ All b) ☐ Some * c) ☐ None of: 1. ☑ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachmen 1) Notice	t(s) e of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)		
2) Notic 3) Infor	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite		

Art Unit: 2152

DETAILED ACTION

1. Claims 1-16 are presented for examination.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 8-16 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Nowhere in the specification disclosed or suggest the claimed limitation of "a rank assigned to the slave by the preexisting network master which determined the rank" or "which [rank information] is assigned to the slave by the preexisting network master which determine the backup master rank information based on connection information received". Nowhere in the specification disclosed that the slaves' ranking is assigned by the preexisting network master. Nowhere in the specification disclosed that the ranking of the slaves is assigned by the preexisting network master based on the connection information received. How would one of ordinary skill in the art to conclude that the priority of the slaves is assigned solely by the network master rather then other means, methods or administrators?

Art Unit: 2152

4. Claims 8-16 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. Nowhere in the specification disclosed to enable one of ordinary skill in the art to "check a rank assigned to the slave by the preexisting network master", when "the preexisting network master has disappeared". Although the specification and the claims disclose that the connection information is received before the disappearance of the preexisting network master, the claims do not define when the checking step is performed. Is the checking step performed before the network master disappears? Claim 14 specifically define that the checking step is performed when it is determined that the preexisting network master has disappeared.

Page 3

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the

Art Unit: 2152

reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Page 4

- 6. Claims 1-2 and 7 are rejected under 35 U.S.C. 102(e) as being anticipated by Wils, US 6,397,260.
- 7. Wils was cited in the previous office action.
- 8. As per claim 1, Wils taught the invention as claimed including a method for building up backup master information, comprising the steps of:
 - a. Receiving connection information from at least one of a plurality of slaves in a network (col.6, lines 57-60: broadcasting their own advertisements);
 - b. Determining a priority of said at least one of the plurality of slaves to be used as a backup master, when the network master disappears, according to the received connection information (col.5, lines 51-54, col.6, lines 57-63); and
 - c. Announcing the determined priority to at least another one of the plurality of slaves (col.6, lines 60-63).
- 9. As per claim 2, Wils taught the invention substantially as claimed in claim 1. Wils further taught that the steps a. through c. are repeated in a predetermined cycle (col.5, lines 57-67, col.6, lines 1-7).

10. As per claim 7, Wils taught the invention as claimed in claim 1. Wils further taught that in the step c., the determined priority of the backup master is announced to the at least another one of the plurality of slaves, through a broadcasting channel (col.6, lines 60-63).

Claim Rejections - 35 USC § 103

- 11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 12. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wils et al (Wils), US 6,397,260, in view of in view of Erekson et al (Erekson), US 6,836,862.
- 13. Erekson was cited in the previous office action.
- 14. As per claim 3, Wils taught the invention substantially as claimed in claim 1. Wils did not specifically teach that the received connection information includes received signal strength indication. Erekson taught a network of devices acting as master and slaves using signal strength indication wherein the devices are equipped with a receiver signal strength indicator that can be used to measure the strength of the incoming signal (col.2, lines 16-21, col.3, lines 37-42, col.5, lines 31-41). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils and Erekson because Erekson's teaching

Art Unit: 2152

of using received signal strength indication enables Wils' method to support devices used for voice applications to measure the strength of the incoming signal (see Erekson, col.2, lines 16-19).

Page 6

- 15. Claims 4-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over van Wils and Erekson as applied to claim 3 above, and further in view of Lynch et al (Lynch), US 5,586,338.
- As per claim 4, Wils and Erekson taught the invention substantially as claimed in claim 16. 1. Erekson further taught to use receiver strength indicator to measure the strength of the incoming signal (col.2, lines 16-19). Wils and Erekson did not specifically teach that in the step b., if said at least one of the plurality of slaves has a higher RSSI than another one of the plurality of slaves, said at least one of the plurality of slaves is given a higher priority, which is used to choose a new network master. Lynch taught that priority can be determined based on RSSI or other characteristics that enhance the quality of communication (col.9, lines 15-21). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils, Erekson and Lynch because Lynch's teaching of using various methods in determining and deciding the ranking of the priority of the plurality of slaves ensures Wils and Erekson's method a greater chances of successful communications by setting high priority base on high quality of communication of the slaves (see Lynch, col.9, lines 9-26).
- As per claim 5, Wils and Erekson taught the invention substantially as claimed in claim 17.
- 1. Wils and Erekson did not specifically teach that in the step b., if said at least one of the

plurality of slaves has a higher link quality value than another one of the plurality of slaves, said at least one of the plurality of slaves is given a higher priority, which is used to choose a new network master. Lynch taught that priority can be determined based on RSSI or other characteristics that enhance the quality of communication (col.9, lines 15-21). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils, Erekson and Lynch because Lynch's teaching of using various methods in determining and deciding the ranking of the priority of the plurality of slaves ensures Wils and Erekson's method a greater chances of successful communications by setting high priority base on high quality of communication such as the link quality of the slaves (see Lynch, col.9, lines 9-26).

- 18. Claim 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wils et al (Wils), US 6,397,260, in view of in view of Johansson, US 6,975,613.
- 19. As per claim 6, Wils taught the invention substantially as claimed in claim 1. Wils did not specifically teach that the network is a personal ad-hoc network. Johansson taught to implement methods to an ad-hoc network to support ad hoc connections of wireless systems including Bluetooth (col.1, lines 57-67, col.2, lines 1-12). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils and Johansson in order to implement Wils' method in all suitable and desired networks including adhoc network to support ad-hoc connections of wireless systems and also adapt Bluetooth technology.

Art Unit: 2152

20. Claim 8 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wils et al (Wils), US 6,397,260, in view of in view of Shinji et al (Shinji), JP 2000-295252.

- 21. Shinji is an applicant admitted prior art submitted by the applicant in the IDS on 2/26/2003.
- 22. As per claim 8, Wils taught the invention substantially as claimed including a method for designating a new master of a network when a preexisting network master disappears, the method comprising the steps of:
 - a. Determining at a slave whether the preexisting network master has disappeared (col.5, lines 51-54);
 - b. If the preexisting network master has disappeared, checking a rank assigned to the slave based on connection information received from the slave, wherein the rank is used to choosing a new network master and is received before the disappearance of the preexisting network master (col.5, lines 51-54, col.6, lines 57-60); and
 - c. Changing the slave to the new network master if it is determined that the rank is highest of any one assigned to a plurality of slaves (col.5, lines 51-56, col.6, lines 60-63).

Page 9

Art Unit: 2152

23. Wils did not specifically teach that the rank assigned to the slave is assigned by the preexisting network master. However Shinji taught to the network master to determine priority order of the slaves and transmit the priority to the slaves (see Abstract; Solution). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils and Shinji because Shinji's teaching of the network master assigning slave rankings enables Wils' method to rank the priority of backup master orders by the original master.

- 24. As per claim 14, Wils taught the invention as claimed including a method for establishing a connection between a new master and a remaining plurality of slaves of a network when a preexisting network master disappears, the method comprising the steps of:
 - a. Checking whether the preexisting network master has disappeared (col.5, lines 51-54);
 - b. Checking backup master rank information, based on connection information received, when it is determined that the preexisting network master has disappeared in the step a. (col.5, lines 51-54, col.6, lines 57-60).
 - c. Attempting to establish a connection with the new network master when it is determined that one of the remaining plurality of slaves does not have a highest priority, according to the backup master rank information (col.5, lines 51-56, col.6, lines 60-63); and

Art Unit: 2152

d. Remaining as one of the remaining plurality of slaves if a connection with the new network master is established in step c. (col.5, lines 51-56, col.6, lines 60-63).

- 25. Wils did not specifically teach that the rank information assigned to the slave is assigned by the preexisting network master. However Shinji taught to the network master to determine priority order of the slaves and transmit the priority to the slaves (see Abstract; Solution). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils and Shinji because Shinji's teaching of the network master assigning slave rankings enables Wils' method to rank the priority of backup master orders by the original master.
- 26. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wils and Shinji as applied to claim 8 above, and further in view of Ying, US 6,061,600.
- 27. Ying was cited in the previous office action.
- 28. As per claim 9, Wils and Shinji taught the invention substantially as claimed in claim 8. Wils and Shinji did not specifically teach that after the step c., further comprising the step d. of performing inquiry scan and page scan. Ying taught to perform inquiry scan and page scan after a new master is determined (col.9, lines 6-22, col.10, lines 15-23, 54-62, col.11, lines 24-58). It would have been obvious to one of ordinary skill in the art at the time the invention was made to

Art Unit: 2152

combine the teachings of Wils, Shinji and Ying because Ying's teaching of performing inquiry scan and page scan enables Wils and Shinji's method to keep track of events happening and detect failure in the system (see Ying, col.9, lines 19-22).

- 29. Claims 10-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wils, Shinji and Ying as applied to claim 9 above, and further in view of Akyol et al (Akyol), US 6,701,448 and "Official Notice".
- 30. Akyol was cited in the previous office action.
- 31. As per claim 10, Wils, Shinji and Ying taught the invention substantially as claimed in claim 9. Ying further taught to check for a change of a master mode and terminating the master mode when a change to the master mode is determined (col.2, lines 37-39, col.3, lines 15-20, col.7, lines 39-49, col.9, lines 6-22, 43-48, col.10, lines 15-23, 36-43, 54-62, col.11, lines 1-9, 24-58). Wils, Shinji and Ying did not specifically teach that after step d., further comprising the steps of e-g. Akyol taught a backup master designating method to:
 - e. determining whether a new device attempts to establish a connection through the network (col.7, lines 18-35);
 - f. accepting a request of the new device for connection, requesting the new device to change to a role as a slave, and remaining as the new network master (col.7, lines 21-35);

Art Unit: 2152

g. storing information of the new device, and announcing the information of the new network master and each of the plurality of slaves linked throughout the network, to each of the plurality of slaves linked throughout the network (col.6, lines 51-55, 60-67, col.7, lines 5-8).

Page 12

- 32. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils, Shinji, Ying and Akyol because Akyol's teaching of responding to requests for new devices to join the group enables more devices in Wils, Shinji and Ying's method to join or connect with the master node to expand the group. Wils, Shinji Ying and Akyol did not specifically teach that if there is no connection request form the new device, return to step d. when no change to the master mode is determined. However, it is obvious that the mastership of the master node is not affected when no new device, which might affect the mastership because of its priority, is requesting to connect with the master node. Official Notice is taken that it would have been obvious to maintain the structure of the group and the mastership of the master node when no additional node is joining the group. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils, Shinji, Ying, and Akyol and further maintain the master mode when no change in the group structure is made.
- 33. As per claim 11, Wils, Shinji, Ying and Akyol taught the invention substantially as claimed in claim 10. Ying further taught that the change of master mode is determined when a role of a device serving as the preexisting network master is changed to a role as one of the

plurality of slaves (col.2, lines 37-39, col.3, lines 15-20, col.7, lines 39-49, col.9, lines 6-22, 43-48, col.10, lines 15-23, 36-43, 54-62, col.11, lines 1-9, 24-58). Wils, Shinji, Ying and Akyol did not specifically teach that that change is caused by a user, when a Bluetooth function of the preexisting network master is switched off, or when power of the preexisting network master is turned off. However, it is obvious for a user to power off the master node to cause a change in master mode (e.g., forcing master disappearing). Official Notice is taken that it would have been obvious to have a user to manually switch the master mode in any desired circumstances. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils, Shinji, Ying, Akyol and further allows user to manually control the switching of mastership in Wils, Shinji, Ying and Akyol's method when it is needed.

- 34. Claim 12-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wils and Shinji as applied to claim 8 above, and further in view of Ying, US 6,061,600, Akyol et al (Akyol), US 6,701,448 and "Official Notice".
- 35. As per claim 12, Wils and Shinji taught the invention substantially as claimed in claim 8. Wils and Shinji did not specifically teach steps a1-a3. Ying taught to check a connection status with the preexisting network master (col.2, lines 37-39, col.9, lines 6-22, col.10, lines 15-23, 54-65, col.11, lines 24-58) and determine whether the preexisting network master has disappeared (col.2, lines 48-51, col.7, lines 5-23, 35-49, col.10, lines 50-65). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils, Shinji and Ying because Ying's teaching of checking a connection status enables Wils and

Shinji's method to verify if the master is connected or not. Wils, Shinji and Ying did not specifically teach that step a. comprises the sub-steps of a2-a3. Akyol taught a backup master designating method to:

- a2. attempting to reconnect with the preexisting network master if disconnection is detected in sub-step a1 (col.6, lines 60-67, col.7, lines 5-8, 21-35).
- a3. checking whether reconnection with the preexisting network master is successful, and returning to the sub-step al. if the reconnection with the preexisting network master is successful (col.7, lines 21-35).
- 36. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils, Shinji, Ying and Akyol because Akyol's teaching of responding to requests for new devices to rejoin the group enables the devices in Wils, Shinji and Ying's method to reconnect with the master node when connection is lost. Wils, Shinji Ying and Akyol did not specifically teach that if reconnection with the preexisting network master is not established in sub-step a3. informing a host of the event as a "Disconnection Complete Event". However, it is obvious to report error when attempting to connect with the master node fails. Official Notice that both the concept and advantage of sending notification to inform of errors is well known and expected in the art. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils, Shinji Ying, and Akyol and further uses event notification method to inform the hosts of failure in communication with the master node.

Art Unit: 2152

37. As per claim 13, Wils, Shinji, Ying and Akyol taught the invention substantially as claimed in claim 12. Ying further taught that the sub-step a1 is repeated in a predetermined cycle while the connection with the preexisting network master remains (col.2, lines 37-39, col.10, lines 59-65).

- 38. Claims 15-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wils and Shinji as applied to claims 8 and 14 above, and further in view of Erekson et al (Erekson), US 6,836,862.
- As per claims 15 and 16, Wils and Shinji taught the invention substantially as claimed in claims 8 and 14. Wils and Shinji did not specifically teach that the connection information received from the slave by the preexisting network master includes at least one of received signal strength indication and link quality information. Erekson taught a network of devices acting as master and slaves using signal strength indication wherein the devices are equipped with a receiver signal strength indicator that can be used to measure the strength of the incoming signal (col.2, lines 16-21, col.3, lines 37-42, col.5, lines 31-41). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Wils, Shinji and Erekson because Erekson's teaching of using received signal strength indication enables Wils and Shinji's method to support devices used for voice applications to measure the strength of the incoming signal (see Erekson, col.2, lines 16-19).

Response to Arguments

Art Unit: 2152

40. Applicant's arguments regarding claims 1-7 filed 7/13/2006 have been fully considered but they are not persuasive.

In the remark, applicant argued (1) Wils does not teach "determining a priority of said at least one of the plurality of slaves to be used as a backup master, when a network masters disappears, according to the received connection information" since the priority of the routers is preconfigured. (2) No motivation to combine Wils with Erekson to modify Wils to determine a priority of at least one of the plurality of slaves to be used as a backup master, when a network master disappears, according to RSSI information received.

42. Examiner traverse the argument that:

As to point (1), Wils taught specifically in column 5, lines 51-54° and column 6, lines 57-63 to determine a priority of said at least one of the plurality of slaves to be used as a backup master, when the network master disappears, according to the received connection information. Wils taught that when the network master fails (e.g., realize that no VRRP Advertisement are being transmitted), the slaves exchange connection information (e.g. broadcasting their own Advertisements, and comparing the priorities) and determine a priority (e.g. order of the priority from high to low) of which slave to be used as a backup master (e.g. the router having the highest configured priority for each Virtual Router assumes Master status). Although the applicants pointed out that the priority (e.g. priority value) of the slaves are preconfigured, the priority order is not known by the slaves until their advertisements are broadcasted. In another words, the slaves only knows their own priority value, but have no way of knowing if their

Page 17

priority is higher until the comparison is performed. Therefore, the actual priority (e.g. priority order to assume master status), is only determined when all priority values are exchanged and compared.

As to point (2), in response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., determine a priority of at least one of the plurality of slaves...according to signal strength indication and/or link quality information) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See In re Van Geuns, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). The claims, at most, claimed to include RSSI and/or link quality information in the connection information, but fails to define that the RSSI and/or link quality information is used for determine slave priorities. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See In re Fine, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and In re Jones, 958 F.2d 347, 21 USPO2d 1941 (Fed. Cir. 1992). In this case, the motivation is in the knowledge generally available to one of ordinary skill in the art. Although applicant argued that RSSI is not even a parameter which would be used in a wired network such as Wils' network, it does not prevent the slaves device to comprises wireless abilities in communication with other networking devices. Since the claims fails to define which connection link the RSSI is indicating, it would

have been obvious that the RSSI may be indicating a signal strength other then the connection between the master and the slave device (e.g. indicating signal strength of slave device and some wireless device). It would have been obvious to include various types of information in connection information depending on various needs including RSSI of all connections of the slave devices with other devices other then the network master. Furthermore, claims 1-3 did not define the that connection between the master and the slaves is wireless.

- 43. Applicant's arguments with respect to claims 8-16 have been considered but are moot in view of the new ground(s) of rejection.
- 44. Because Applicants have failed to challenge any of the Examiner's "Official Notices" stated in the previous office action in a proper and reasonably manner, they are now considered as admitted prior art. See MPEP 2144.03

Conclusion

45. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Art Unit: 2152

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

46. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenny Lin whose telephone number is (571) 272-3968. The examiner can normally be reached on 8 AM to 5 PM Tue.-Fri. and every other Monday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bunjob Jaroenchonwanit can be reached on (571) 272-3913. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ksl

September 12, 2006

BUNJOB JAROENCHONWANIT SUPERVISORY PATENT EXAMINER